

SUBJECT INDEX

b = Book Review; *c* = Correspondence; *r* = Report of Conference

- Activated carbon filters 181-195
- Aerosol generation, hexamethylene diisocyanate 573-581
- Air cleaning filters 181-195
- Air sampling
 - for anaesthetic gases 32-34, 162
 - for isocyanates 568-570
 - for nitrous oxide 32-34
 - for volatile mixtures 17-19
 - gravimetric, detection limit 331-337
 - in forage tower silos 520-521
 - particle size-selective 289-300, 301-320
- Air sampling instruments
 - diffusive 61-68, 69-78, 162
 - dust monitors 591-606
 - for farms 532-533
 - performance testing 289-300
 - personal dust 289-300
- Airborne contaminants, control 155-156^b
- Alarm systems, in noisy environments 146-147, 402-405
- Aluminium, health effects 656-657^b
- Anaesthetic gases, occupational exposure 27-45, 159-173
- Anaesthetists, waste anaesthetic gas exposure 163-169
- Analysis, chemical, quality control 275-278
- Asbestos
 - amphibole 97-111
 - chrysotile 97-111, 222-231, 243-256, 583-590
 - crocidolite 209-218, 219-233
 - fibre behaviour in body 222-231
 - fibre sample evaluation 97-111, 243-256, 491-505
 - fibre size
 - and lung disease 483-491
 - friction products factory 583-590
 - fibre sizing
 - airborne 583-590
 - in liquid suspension 491-505
 - in ceramics industries 417-418
 - non-occupational exposure assessment 219-233
 - removal
 - insulation 243-256
 - respirators for 113-116
 - urinary analysis 209-218
- Asbestos Regulations 1987* 149-152^r
- Asbestosis, susceptibility and alveolar clearance 279-282^c
- Asphalt, exposure standard 202-206
- Back pain
 - and impact power tools 89-93
 - risk identification 408-409
- Benzene exposure
 - exhaled breath analysis 257-262
 - petrol pump attendants 133-136
- Biological monitoring
 - exhaled breath analysis 257-262
 - urinary asbestos 219-233
- Bitumen, exposure standard 202-206
- Breathing pattern, and aspiration efficiency, human head 209-218
- British Occupational Hygiene Society (BOHS) conferences
 - 1988 Annual 339-354
 - 1989 Annual 117-121, 123-127, 555-562, 607-613, 645-649
 - ceramics industries 355-476
 - President 1989-1990 287-288
 - Technical Guide No.7 155-156^b
- Bronchitis, in pottery workers 379-384
- Building sickness
 - and office lighting 47-59
 - electrostatic charge effect 263-267
- Cancer
 - control 657-658^b
 - epidemiology 153-154^b, 283^b
 - prevention 283^b, 657-658^b
 - risk assessment 201-206
- Carcinogenesis, cutting oils 541-542
- Centrifuge cell, sizing fibres in liquid suspension 491-505
- Ceramics industries
 - asbestos in 417-418
 - bronchitis in 379-384
 - health and safety conference 355-476
 - lead in 417
 - noise in 411-414, 418
 - occupational health services in 418
 - orthopaedic problems in 397-398
 - pneumoconiosis in 369-373, 375-385, 416
 - protective clothing in 417
 - safety in 418-420
 - sickness absence cycles 423-438
 - skin diseases in 365-368
 - technological change in 439-447, 451-456, 459-463, 465-466
 - tuberculosis in 387-395
 - working conditions in 416-473
- Chemical analysis, quality control 275-278

Subject Index

- Chemical exposure, health surveillance 477-478^b
- Chemical hazard information 607-613
- Clay brick industry, airborne dust in 399
- Clearance, alveolar, and asbestosis susceptibility 279-282^c
- Coal tar
 - distillation, benzene exposure 258-261
 - exposure standard 202-206
- Coal tar pitch, exposure standard 202-206
- Coalmine dust, free radicals in 79-84
- Cohort studies, design and analysis 153-154^b
- Communication, in noisy environments 146-147, 402-405
- Computer control, XRD analysis of quartz 235-241
- CONCAWE, petrol monitoring 15-26
- Control of Asbestos at Work Regulations 1987* 149-152^f
- Control of Substances Hazardous to Health Regulations 1988* (COSHH)
 - exposure limits criteria 651-652^c
 - information systems for 339-354
- Creosote, exposure standard 202-206
- Cutting oils, properties during prolonged use 537-553
- Data management, occupational hygiene 339-354
- Databases
 - industrial noise levels 269-274
 - occupational exposures 1-24
- Diamantane, toxic hazard 146
- Diethanolamine, determination in air 175-180
- Diffusive samplers
 - liquid sorbent 61-68
 - personal monitors 69-78
- DNA damaging agents, detection 283^b
- Doulton-Meiklejohn lecture 1987 359-364
- Dust
 - airborne, clay brick industry 399
 - coalmine, free radicals in 79-84
 - diseases, prevention 359-364
 - monitors, portable direct reading 591-606
 - See also Air sampling; Airborne contaminants
- Ear plugs, for motocyclists 124, 126
- Eczema, pottery industry 366-367
- Electroplating plant, ventilation design 321-329
- Electrostatic charge, and sick building syndrome 263-267
- Enflurane exposure, operating rooms 35-42
- Epidemiology
 - and dust disease prevention 360-363
 - cancer 153-154^b, 283^b
 - statistical methods 153-154^b
- Ergonomics
 - cost-benefit analysis 409
 - in industry 401-410
- Ethanolamines, determination in air 175-180
- European Communities, Workplace Noise Directive 411-414
- European Reference Method, fibre sample evaluation 243-256
- Exhaled breath analysis (EBA), benzene exposure 257-262
- Exposure control
 - methods 155-156^b
 - teaching aid 137-144
- Exposure limits
 - anaesthetic gases 170-171
 - asphalt 202-206
 - coal tar products 202-206
 - in nuclear submarines 117-121
 - indicative criteria for 651-652^c
 - therapeutic substances 555-562
- Exposure modelling, solvent vapours 507-517
- Eye irritation, from electrostatic charge 263-267
- Farmers, air sampling instruments for 532-533
- Fibre sample evaluation
 - chrysotile 243-256
 - European Reference Method 243-256
 - PCOM 97-111
 - PCOM cf. SEM and TEM 243-256
 - sizing in liquid suspension 491-505
 - void counting 97-111
- Filters
 - activated carbon 181-195
 - membrane 97-111
 - weighing reproducibility 331-337
- Filtration, dust respirators 615-644
- FLOW GEMINI, occupational health system 339-354
- Fluorescent lighting, and building sickness 47-59
- Free radicals, in coalmine dust 79-84
- Friction products, airborne chrysotile fibre size 583-590
- Garages, thermal environment in 129-132
- Gas chromatography, volatile mixtures 20
- Gravimetric sampling, detection limit 331-337
- Halothane exposure
 - operating rooms 35-42, 163-169
 - control limits 170-171
- Hazard data sheets, information for 607-613
- Health and safety
 - ceramics industries 355-476
 - legislation 440-441
- Health and Safety Executive (HSE), occupational exposure database 1-24
- Health guide, ships 479-480^b
- Health surveillance, chemical exposure 477-478^b
- Hearing protection
 - and audio alarms 146-147
 - for motor cyclists 124, 126

Subject Index

- Heat desorption, volatile mixtures 19-20
- Helmets
 - and motocyclists' noise exposure 123-127
 - powered, and asbestos removal 113-116
- Hexamethylene diisocyanate (HDI), in vehicle paints 563-581
- Hospitals, anaesthetic gas exposure 27-45, 159-173
- Human head, aspiration efficiency 209-218
- Information systems, occupational hygiene 339-354
- Inter-laboratory sample exchanges 104-109
- Isocyanates
 - exposure, vehicle refinishing 563-572
 - monitoring, impinger *cf.* paper tape 568-569
- Isoflurane exposure, operating rooms 35-42
- Lasers, hazards 478^b
- Lead, in ceramics industries 417
- Legislation, health and safety 440-441
- Lighting, and building sickness 47-59
- Man-made mineral fibres (MMMF), sample evaluation 97-111
- Manual handling 407-409, 444-445
- Medical Boarding Centres (Respiratory Disease) 369-374
- Membrane filters, fibre counting on 97-111
- Microscopy 219-233, 243-256, 583-590
- Microwave ovens, radiation leakage from 653-654^c
- Monitoring, volatile mixtures 15-26
- Monoethanolamine, determination in air 175-180
- Motorcyclists, noise exposure 123-127
- National Exposure Database (NEDB) 1-24
- Natural gas processing, occupational hygiene 145-147
- Nickel sensitivity, pottery industry 367
- Nitrous oxide exposure
 - control limits 170-171
 - operating rooms 34-42, 163-168
- Noise
 - and communication 146-147, 402-405
 - exposure, motorcyclists 123-127
 - in ceramics industries 411-414, 418
 - industrial levels, database 269-274
- Non-occupational factors, in occupational health 645-649
- Nuclear power generation, public radiation exposure 284^b
- Nurses, waste anaesthetic gas exposure 27-45, 163-173
- Occupational cancer, prevention and control 657-658^b
- Occupational health
 - non-occupational factors in 645-649
 - services 418, 445-446
 - textbook 655-656^b
- Occupational hygiene
 - database 1-24
 - information systems 339-354
 - natural gas processing 145-147
- Offices
 - building sickness and lighting 47-59
 - electrostatic charge effect on health 263-267
- Oil mists, PAH in 547-548
- Oils, cutting, prolonged use 537-553
- Operating rooms
 - ventilation 37-44
 - waste anaesthetic gas exposure 159-173
- Optical radiation, hazards 478^b
- Orthopaedic problems, in pottery workers 397-398
- Painters, solvent vapour exposure model 507-517
- Paints, isocyanate, health effects 570-571
- Personal dust samplers, performance standards 289-300
- Personal monitoring, volatile mixtures 19-20
- Petrol pump attendants, benzene exposure 133-136
- Petrol vapour, personal monitoring 15-26
- Petroleum pitch, exposure standard 202-206
- Phase-contrast optical microscopy (PCOM), 97-111, 243-256
- PIMEX teaching aid, exposure control 137-144
- Pneumoconiosis
 - asbestosis 279-282^c
 - coalworkers', free radicals in 79-84
 - in ceramics industries
 - classification 369-373
 - trends 373-374, 416
 - prevention 359-364
 - silicosis 375-385, 392-393
- Pneumoconiosis Field Research (PFR) 360-363
- Polycyclic aromatic hydrocarbons (PAHs)
 - exposure standard 202-206
 - in cutting oils 544-547
- Polyurethane paints, isocyanate exposure 563-572
- Potteries, *See* Ceramics industries
- Power tools, health effects 85-96
- Printing processes, technological change 459-463
- Protective clothing, in ceramics industries 417
- Public health, and occupational health 645-648
- Quality control, chemical analysis 275-278
- Quartz, rapid XRD analysis 235-241
- Questionnaires
 - health effects of isocyanate paints 570-571
 - office lighting 49-50
 - vibration exposure 87-96
- Radiation
 - leakage from microwave ovens 653-654^c

Subject Index

- nuclear power generation 284^b
- optical, hazards 478^b
- Recovery rooms, waste anaesthetic gas exposure 173
- Repetitive strain injury (RSI)
 - in pottery workers 397-398, 461
 - research 444
- Research, occupational health 359-364, 444
- Respiratory irritation, from electrostatic charge 263-267
- Respiratory protective equipment (RPE)
 - dust filtration 615-644
 - for asbestos removal 113-116
 - powered helmet 113-116
- Risk analysis 199-201

- Safety, in ceramics industries 418-420
- Scanning electron microscopy (SEM), fibre sample evaluation, *cf.* PCOM and TEM 243-256
- Scavenging systems, operating rooms 162-170
- Sensitization, cutting oils 547-549
- Ships, medical guide 479-480^b
- Sickness absence cycles, pottery industry 423-438
- Silicosis
 - and tuberculosis 392-393
 - pottery workers 375-385, 392-393
- Silos, forage tower, gases in 519-535
- Size-selective dust sampling criteria 289-300, 301-320
- Skin diseases, pottery industry 365-368
- Skin irritation
 - from cutting oils 547-548
 - from electrostatic charge 263-267
- Solvents
 - exposure control teaching aid 137-144
 - vapour exposure model 507-517
- Standards, occupational, setting of 197-208
- Statistical methods, cohort studies 153-154^b
- Stress, and new technology 449-450
- Submarines, exposure limits for 117-121
- Surgeons, waste anaesthetic gas exposure 27-45, 163-169
- Susceptibility, asbestosis and alveolar clearance 279-282^c

- Tableware production, technological change 457
- Teaching aid, exposure control 137-144
- Technological change
 - and stress 449-450
 - ceramics industries 439-447, 451-456, 457, 459-463, 465-466
 - ergonomic implications 406-409
 - health and safety implications 451-456, 459-463
- Therapeutic substances, exposure limits 555-562
- Thermal environment, in garages 129-132
- Transmission electron microscopy (TEM)
 - fibre sample evaluation, *cf.* SEM and PCOM 243-256
 - non-occupational asbestos exposure assessment 219-233
 - size distribution, chrysotile fibres 583-590
- Tuberculosis, pulmonary, in pottery workers 387-395

- Urban hygiene, and occupational health 648

- Vehicle refinishing, isocyanate paints 563-572
- Ventilation
 - design 155-156^b
 - dilution *cf.* displacement 321-329
 - operating rooms 37-44, 162-170
- Vibration exposure, health effects 85-96
- Video filming, exposure control teaching aid 137-144
- Visual display units, health effects research 443-444
- Volatile mixtures, monitoring 15-26

- Warning signals, in noisy environments 146-147, 402-405
- Waste anaesthetic gases
 - exposure 159-173
 - health risks 27-45

- X-ray diffraction (XRD)
 - computer-controlled 235-241
 - quartz analysis, rapid 235-241

AUTHOR INDEX

b = Book Review; *c* = Correspondence; *r* = Report of Conference

- Addison, J. 243
Agius, R. 555
Akkersdijk, H. 113
Allen, M.B. 375
Ancker, K. 263
Andersson, I.-M. 137
Andersson, K. 175
Aston, R.H.R. 537
Aung, B.U.T. 133
- Baker, F.H. 399
Balieu, E. 181
Barraclough, N. 149^r
Beaumont, P.L. 1
Begin, R. 279
Bellaby, P. 423
Bjerre, A. 507
Bjurstrom, R. 263
Borm, P.J.A. 129
Bowcock, L. 465
Bradbury, S.P. 375
Bremmer, C.F. 113
Breum, N.O. 321
Breyse, P.N. 243
Brown, D.A. 27
Brown, R.C. 615
Buffat, P.A. 219
Burdorf, A. 85
Burge, P.S. 47
Burns, D.K. 1
- Carter, J.T. 651^c
Chatterjee, A.K. 369
Cherrie, J.W. 243
Chong, J.P. 197
Chung, N.Y.K. 591
Coker, D.T. 15
Cole, R.B. 387
Collins, N.A. 415
- Dalal, N.S. 79
Dalton, G. 47
Davis, J.M.W. 451
Davison, M. 653^c
Dodgson, J. 243
Duggan, M.J. 284^b, 658^b
Dunnett, S.J. 209
- Ellison, J. McK. 357, 397, 411
Elwood, P.A. 519
Evans, H.L. 145
Evans, M.J. 537
- Fawkes, C.J. 449
- Gardner, R.J. 159
Glass, D. 47
Gothe, C.-J. 263
Graves, R.J. 401
Gray, C.N. 257
Green, F.H.Y. 79
Groves, J.A. 519
Guillemin, M.P. 219
Guirguis, S.S. 27
- Haines, A.T. 197
Hallberg, B.-O. 61
Hallgren, C. 175
Hammer, J.D.G. 439
Harrington, J.M. 655^b
Hayles, S. 477^b
Hein, R. 133
Helbo, F. 321
Hills, M. 153^b
Holburn, G.W. 459
Holm, S. 263
Hooper, W.B. 537
Huynh, C.K. 573
- Ingram, A.J. 537
- Jafari, B. 79
- Kant, I.J. 129
Kazantzis, G. 656^b
Kenny, L.C. 289
Knight, G. 235
- Langworth, S. 263
Larsson, G. 97
Lausten, O. 321
Levin, J.-O. 175
Liden, G. 289
Litzistorf, G. 219
Louch, W.J. 269
Lwin, O. 133
- McInnes, M. 47
Marha, K. 269
Marshall, J. 478^b
Masse, S. 279
May, W.J. 69
Milligan, B.D. 275, 331
Money, C.D. 257
Moseley, H. 653^c
Muriale, L. 563
Musson, Y. 85
- Newhouse, M. 657^b
Notermans, J.V.H. 129
- Ogden, T.L. 331
- Pathak, B. 269
Pisaniello, D.L. 563
Polet, M. 339
Prowse, K. 375
Pullen, D.L. 537
Purchon, D.W. 645
- Raffaelli, P.I. 117
Rajhans, G.S. 27
Rappaport, W. 339
Renwick, J.H. 283^b
Robertson, A.S. 47
Rood, A.P. 583
Rosen, G. 137
Ross, B.C. 123
Rudling, J. 61
- Sahle, W. 97
Saunders, K.J. 15
Savolainen, H. 573
Schilling, R. 479^b
Schliszka, C. 113
Scott, R.M. 583
Sebastien, P. 279
Smith, A.G. 365
Soderholm, S.C. 301
Spee, T. 113
Suryan, M.M. 79
- Till, J.R. 457
Timbrell, V. 483
Tindle, P.E. 15
- Vallyathan, V. 79
van den Hoed, N. 15
van Drimmelen, D. 85
Vaughan, N.P. 331, 591
Verma, D.K. 197
Vu Duc, T. 573
- Whaley, D. 27
Wheeler, R. 79
Wong, L. 27
Wood, S. 607
Wynn Jones, C.H. 397
- Zaidi, S.H. 133